




Ceiling Light Combination....




TDL751-1



Light Source	Color Temp. (K)	Input	Output	Material	L (mm)	W (mm)	H (mm)
1X(1x1W/3W)	2700-6500	AC 100-240V 50Hz/60Hz	DC 3V	Aluminum	75	75	55




TDL751-2



Light Source	Color Temp. (K)	Input	Output	Material	L (mm)	W (mm)	H (mm)
2X(1x1W/3W)	2700-6500	AC 100-240V 50Hz/60Hz	DC 6V	Aluminum	145	75	55




TDL751-3



Light Source	Color Temp. (K)	Input	Output	Material	L (mm)	W (mm)	H (mm)
3X(1x1W/3W)	2700-6500	AC 100-240V 50Hz/60Hz	DC 9V	Aluminum	209	75	55





TDL751-8





Light Source	Color Temp. (K)	Input	Output	Material	L (mm)	W (mm)	H (mm)
4X(1x1W/3W)	2700-6500	AC 100-240V 50Hz/60Hz	DC 12V	Aluminum	145	145	55

LED 1x1W




LED 3x1W






TDL754-1



Light Source	Color Temp. (K)	Input	Output	Material	L (mm)	W (mm)	H (mm)
1X(1x1W/3W)	2700-6500	AC 100-240V 50Hz/60Hz	DC 3V	Aluminum	75	75	55




TDL754-2



Light Source	Color Temp. (K)	Input	Output	Material	L (mm)	W (mm)	H (mm)
2X(1x1W/3W)	2700-6500	AC 100-240V 50Hz/60Hz	DC 6V	Aluminum	145	75	55




TDL754-3



Light Source	Color Temp. (K)	Input	Output	Material	L (mm)	W (mm)	H (mm)
3X(1x1W/3W)	2700-6500	AC 100-240V 50Hz/60Hz	DC 9V	Aluminum	209	75	55



TDL754-8




Light Source	Color Temp. (K)	Input	Output	Material	L (mm)	W (mm)	H (mm)
4X(1x1W/3W)	2700-6500	AC 100-240V 50Hz/60Hz	DC 12V	Aluminum	145	145	55






TDL927-1



Light Source	Color Temp. (K)	Input	Output	Material	W (mm)	H (mm)
1X(3x1W/3W)	2700-6500	AC 100-240V 50Hz/60Hz	DC 9V	Aluminum	92	52




TDL927-2



Light Source	Color Temp. (K)	Input	Output	Material	L (mm)	W (mm)	H (mm)
2X(3x1W/3W)	2700-6500	AC 100-240V 50Hz/60Hz	DC 18V	Aluminum	175	92	52



TDL927-3



Light Source	Color Temp. (K)	Input	Output	Material	L (mm)	W (mm)	H (mm)
3X(3x1W/3W)	2700-6500	AC 100-240V 50Hz/60Hz	DC 27V	Aluminum	260	92	52